

Sentiment Analysis of Indrive App Usage Reviews on Google Playstore Using Support Vector Machine (SVM) and Naïve Bayes Algorithm

Atifani Aulida Romadhoni¹, Andry Rachmadany², Bayu Hari Prasoj³
^{1,2,3}Muhammadiyah University of Sidoarjo, Indonesia



DOI : <https://doi.org/10.61796/ijaifd.v2i10.421>



Sections Info

Article history:

Submitted: August 31, 2025
Final Revised: September 19, 2025
Accepted: September 30, 2025
Published: October 25, 2025

Keywords:

Sentiment analysis
InDrive
Google playstore
Support vector machine
Naïve bayes

ABSTRACT

Objective: This study aims to analyze user sentiment toward the InDrive application on Google Play Store by employing Support Vector Machine (SVM) and Naïve Bayes algorithms, motivated by the increasing number of user reviews that are difficult to evaluate manually, thus requiring a text mining approach to efficiently classify opinions into positive and negative categories. **Method:** A dataset of 30,000 reviews was collected through web scraping, and the analysis involved several stages, including preprocessing (cleaning, case folding, normalization, tokenizing, stopword removal, and stemming), term weighting using TF-IDF, and classification using SVM and Naïve Bayes. **Results:** The results revealed that SVM outperformed Naïve Bayes with an accuracy of 78%, precision of 0.80, and recall of 0.74, whereas Naïve Bayes achieved 76% accuracy, 0.79 precision, and 0.70 recall, indicating that SVM is more effective in handling complex user review data compared to Naïve Bayes. **Novelty:** The novelty of this research lies in applying a comparative study of the two algorithms to InDrive application reviews, which has not been extensively explored, and is expected to provide insights for developers to better understand user perceptions and improve the quality of application services.

INTRODUCTION

The advancement of smartphone application technology on the Android platform continues to increase, directly changing people's patterns and habits in carrying out daily activities [1]. Along with the growing mobility needs of society, this sector has undergone many adjustments. Conventional motorcycle taxis, for instance, still play an important role in Indonesia as an efficient transportation alternative, especially in urban areas often plagued by traffic congestion. This service is a mainstay for workers with busy schedules who require fast and easily accessible transportation [2].

Online transportation innovations are now increasingly popular because they can meet the public's demand for fast and practical services. Technological developments, the increasing number of smartphone users, and high mobility are the main factors driving the rapid growth of digital transportation applications [3]. This phenomenon not only demonstrates a change in how people use transportation but also impacts public behavior, creating both challenges and new opportunities in the environmental sector [4].

Online motorcycle taxis are one form of application-based transportation designed to facilitate people's daily activities. Today, there are many online motorcycle taxi services competing in the market, such as Gojek, Grab, Maxim, and InDrive. Each application offers its own advantages, whether in terms of driver services, application features, or prices offered to users [5]. One of the transportation applications gaining popularity in various countries, including Indonesia, is InDrive. This application offers

various services, from motorcycle taxis, passenger cars, courier services, intercity deliveries using cars, to large-item shipments with special vehicles. Interestingly, InDrive allows users to bid their own price and freely choose the driver whose service they want to use [6].

The Google Play Store provides a review feature that allows users to give feedback after using an application. This feature is an effective source of information to assess the quality and user experience of a particular application. Reviews can be positive suggestions or complaints. However, reviewing all comments manually is certainly not easy. Although the InDrive application is already available on the Google Play Store, some users remain dissatisfied with their experiences when using the application [7]. Therefore, a method is needed to filter and analyze these reviews. One such method is sentiment analysis, a technique used to identify, extract [8], and classify user opinions or feelings from a set of text data [9]. Sentiment analysis goes beyond simple text classification, encompassing complex linguistic phenomena such as irony, negation, and sentiment shifts [10].

However, with the large volume of incoming reviews, it remains difficult to identify the aspects that need immediate improvement. Currently, there is no systematic and accurate method for classifying reviews into positive or negative categories. By classifying reviews based on sentiment, developers will find it easier to obtain insights into user sentiment toward the application [11]. Reading user reviews one by one is impossible when dealing with large datasets. This process would take a very long time and be inefficient [12]. The more review data there is, the longer it will take application managers to analyze and draw conclusions about the prevailing sentiment. Sentiment analysis, as a text mining process, classifies unstructured data to generate sentiment information efficiently using data mining algorithms [13].

Sentiment analysis is a method for collecting data from various platforms available on the internet. This process focuses on analyzing and understanding emotions in textual reviews to capture public perceptions [14], make predictions, assess public mood, and automatically represent netizens' feelings in a particular situation [15]. Concentration on a specific topic refers to the use of words related to that topic, which may differ from those used in other topics [16]. Sentiment analysis has developed into one of the most active fields of natural language research in understanding public opinion [17], supported by increasingly diverse and accurate machine learning techniques [18]. Sentiment analysis has now evolved beyond text, extending to multimodal data such as images and videos, thus broadening its application scope [19].

Sentiment analysis is an effective way to understand customer satisfaction levels, identify the problems they face, and determine which parts of a service or product need improvement [20]. Sentiment analysis identifies patterns in text and then classifies them into positive or negative categories. The sentiment analysis process consists of three main stages: preprocessing, weighting, and classification [21], where the choice of method significantly affects model performance [22]. This is important for various applications,

such as analyzing customer sentiment from Google Play Store reviews, thereby helping to improve application services [23].

In previous research [24], it was still limited to the naïve Bayes algorithm and K-nearest neighbor analysis in the sentiment of the InDrive application, so the scope of the study still did not touch on the use of other algorithms that have the potential to be more optimal. Therefore, this study is present to fill this gap by testing the Support Vector Machine (SVM) algorithm which is known to be superior in text processing, so it is expected to be able to provide more comprehensive results. The InDrive application was chosen in this study because so far there has been no research that examines the application of the SVM and Naive Bayes algorithms in this application.

In this research, a number of reviews were taken from the InDrive application on the Play Store website through data scraping. The review data were then analyzed using the Support Vector Machine (SVM) algorithm implemented in the Python programming language with Google Colab tools. This research is expected to serve as material to further improve service quality and help provide a clearer picture of user assessments of the InDrive application.

The literature review aims to discuss two important aspects that influence the continuation of the indrive application, namely sentiment analysis and classification, which aims to distinguish between positive and negative sentiments.

1. Sentiment analysis

The process of processing text data to determine the meaning of the sentiment contained in a sentence [25].

2. Classification

Classification is the process of predicting the category of data based on sentiment. The two classification algorithms used in this study are Support Vector Machine and Naïve Bayes.

- a. Support Vector Machine

Support Vector Machine (SVM) is a powerful sentiment analysis technique [26] that is a supervised learning method in machine learning used for data classification. SVM works by determining the optimal hyperplane as a separator between classes and the largest margin, which is the distance between the outermost samples known as Support Vectors [27]. SVM generally provides high accuracy, especially for data that is linear or nearly linearly separable. However, this algorithm has limitations in handling small differences in sentiment expressions or paraphrases [28].

- b. Naive Bayes

Many studies in the field of machine learning utilize sentiment analysis or opinion extraction. Some algorithms that are often used for sentiment analysis include Naive Bayes, maximum entropy, and support vector machine. The Naive Bayes classifier is very efficient and requires a number of parameters that are proportional to the number of variables (features/predictors) in the learning problem. Training with the maximum likelihood method can be done by evaluating closed-form expressions, which requires linear time, unlike the more expensive iterative approach in other classifiers [29].

RESEARCH METHOD

This study uses a quantitative descriptive approach, which aims to describe and understand phenomena in depth based on data collected from the field. Data was obtained through the latest reviews of the Shopee app on Google Playstore using web scraping.




Figure 1. Research Flow Stages.

1. Population and sampling

This data sampling involves all Indrive user reviews found on Google Play Store. The population involves 30,000 Indrive app review datasets from the Google Play Store website, which were obtained through a web scraping process using Google Colab tools.

2. Data collection

Text mining is a part of data mining that focuses on processing unstructured text data with the aim of obtaining valuable information and knowledge from the data source [30]. In this study, the review dataset will be grouped into two classes: positive and negative reviews.

3. Data Preprocessing

The data preprocessing stage is a data processing stage that serves to improve imperfect datasets, such as removing unused symbols, incomplete sentences, and spelling errors [31]. This stage is carried out to facilitate the data processing process with accurate results. The following are the steps taken during data preprocessing:

a. Cleaning

The cleaning stage is the stage of correcting and deleting irrelevant data. The purpose of this stage is to facilitate sentiment analysis [32].

b. Case Folding

The case folding stage is the stage of changing the letters in a word, such as changing capital letters to lowercase letters.

c. Word Normalization

The word normalization stage involves normalizing non-standard words into standard forms.

d. Tokenizing

The tokenization stage is an important stage in lexical analysis that divides text or sentences into small units called tokens. Tokens can be words, phrases, or characters, depending on the level of detail required [33].

e. Stopword Removal

The stopword removal stage is the stage where unimportant words that do not have a significant influence on the sentiment analysis process are removed.

f. Data Stemming

This stage is the stage of obtaining root words by removing affixes in order to improve classification accuracy [34].

4. TF-IDF Word Weighting

TF-IDF (Term frequency-inverse document frequency) is a common method of weighting each word. Term frequency (TF) measures how often a word appears in a document, while Inverse Document Frequency (IDF) indicates the importance of a word based on how rarely it appears in all documents [35].

RESULTS AND DISCUSSION

Results

A. Data Collection

There are 30,000 review data obtained through data scraping. The following are the results of the data processed using Google Colab.

Table 1. Scraping Results.

	Content	Score	At
0	kembalikan sistem driver sebelum update. siste...	1	2025-07-02 22:54:43
1	kenapa di upgrade malah makin jelek aplikasinya...	2	2025-07-01 23:02:08
2	update masih membingungkan tujuan nya mungkin ...	4	2025-07-01 05:46:52
3	Tolong adakan sistem GPS tracking untuk penump...	5	2025-07-01 23:57:56
4	Untuk Driver sistem nya yg adil donk,jgn slalu...	2	2025-07-02 23:54:47
5	untuk penumpang, tolong jgn berikan fitur Bisa...	4	2025-06-29 01:03:00
6	kenapa saat saya daftar untuk driver mobil ada...	2	2025-06-28 05:07:21




Figure 2. Review Rating Chart.

Based on the data collected, there are ratings given by users where the number of 1-star reviews is the highest at 12,797, compared to 5-star reviews at 8,923 and 4-star reviews as the lowest with 2,323 reviews.

B. Data Pre-processing

At this stage, data cleaning, case folding, word normalization, tokenizing, stopword removal, and data stemming are performed. The following is the data after the preprocessing stage:

Table 2. Data After the Pre-Processing Stage.

	Content	Clean_Content
0	UI/UX & System aplikasi masih jelek dan ada bu...	ui ux system jelek ada bug diperbaiki mengalam...
1	Tolong buat sistem ongkosnya sesuai rekomendas...	buat ongkosnya sesuai rekomendasi jangan seena...
2	assalamualaikum , Saya termasuk driver hampir ...	termasuk hampir sebulan pendapatan penumpang s...
3	udah cukup bagus sekarang, cuman saran sih wak...	udah cukup bagus cuman saran waktu ekstnasi t...
4	Gilak ,masa otomatis klik.penumpang nya belum ...	otomatis klik penumpang belum muncul system bu...
5	sistem prioritas kagak jelas, yg perjalanan ud...	prioritas kagak jelas perjalanan banyak mulu u...
6	sekarang ketika autobid orderan masuk tolong d...	orderan masuk tambahkan tombol konfirmasi terl...
7	sangat kecewa sistem apk indriver sekarang, su...	sangat kecewa indriver menjalankan orderan wak...
8	terlihat sepele tapi sangat penting. tolong su...	terlihat sepele sangat penting suara ringtone ...
9	semakin lama saya sebagai driver indriver kok ...	semakin lama indriver aneh rating naik turun g...
10	Kepada Direktur In Drive, harap perbaiki siste...	kepada direktur in drive harap perbaiki kerja ...

C. Data Labeling

Data labeling aims to classify text in a sentence or document as positive or negative. This stage is the initial stage in machine learning. The following are the results of sentiment data analysis after data labeling.

Table 3. Sentiment Analysis Results.

No	Content	Score	Sentiment
0	ui ux system jelek ada bug diperbaiki mengalam...	1	Negatif
1	buat ongkosnya sesuai rekomendasi jangan seena...	4	Positif
2	termasuk hampir sebulan pendapatan penumpang s...	1	Negatif
3	udah cukup bagus cuman saran waktu ekstinasi t...	5	Positif
4	otomatif klik penumpang belum muncul system bu...	1	Negatif
...
29995	sangat buruk system sangat merugikan rubah harga	1	Negatif
29996	perjalanan nyaman tepat waktu	5	Positif
29997	daritadi jam sampai gk ada satupun nyangkut su...	2	Negatif
29998	dicari murah gmpng cri milih pula tentuin ntaps	5	Positif
29999	cepat sediain stok atributnya cepat draiver pe...	5	Positif

After web scraping, data pre-processing, and data labeling, a visualization of the analysis results was produced in the form of a Word Cloud displaying words in sentiment.



Figure 3. Sentiment Word Cloud.

A Support Vector Machine (SVM) classification model with RBF kernel was created and trained using training data whose features had been extracted using TF-IDF.

Discussion




Figure 4. Confusion Matrix.

Based on the confusion matrix above, it can be seen that:

1. True negative (TN = 1302) is data that is actually negative and successfully predicted as negative.
2. False positive (FP = 294) is data that is actually negative and successfully predicted as positive.
3. False negative (FN = 418) refers to data that is actually positive and was correctly predicted as negative.
4. True positive (FP = 1186) refers to data that is actually positive and was correctly predicted as positive.

From the values in the confusion matrix above, evaluation metrics for each class (Negative and Positive) such as precision, recall, and F1-score are obtained.

Table 4. SVM Performance Evaluation Results.

	Precision	Recall	F1-Score	Support
Negative	0.76	0.82	0.79	1596
Positive	0.80	0.74	0.77	1604
Accuracy			0.78	3200
Macro avg	0.78	0.78	0.78	3200
Weighted avg	0.78	0.78	0.78	3200

Table 5. Naïve Bayes Performance Evaluation Results.

	Precision	Recall	F1-Score	Support
Negative	0.73	0.81	0.77	1596
Positive	0.79	0.70	0.74	1604
Accuracy			0.76	3200
Macro avg	0.76	0.76	0.76	3200
Weighted avg	0.76	0.76	0.76	3200

CONCLUSION

Fundamental Finding : The Support Vector Machine demonstrates superior classification performance compared to Naïve Bayes in analyzing InDrive user sentiment reviews on Google Playstore, achieving accuracy rates of 78% and 76%, respectively.

Implication : Selecting an appropriate sentiment analysis method is essential for enabling developers to better understand user perceptions, detect complaints, and enhance service quality. **Limitation :** The study is limited to Google Play Store review data, applies only binary classification, and compares only two algorithms, thereby not fully representing the potential of more advanced approaches. **Future Research :** Further studies should expand data sources, implement multi-class classification, and integrate deep learning-based models to generate more comprehensive and accurate sentiment analysis results.

ACKNOWLEDGEMENTS

The author would like to thank all those who have helped in the implementation of this research. The author would also like to thank the supervising lecturer and all those who provided support, advice, and input during the process of compiling this research.

REFERENCES

- [1] G. M. Hakim, "Analisis Faktor Yang Mempengaruhi Minat Penggunaan Aplikasi Indrive Menggunakan Model Utaut2," *Intecom J. Inf. Technol. Comput. Sci.*, Vol. 6, No. 1, Pp. 353-362, 2023, Doi: 10.31539/Intecom.V6i1.5974.
- [2] Ani Linta Sari, Ardhia Pramesty Regita Cahyani, And Yolanda Naomi Martdina, "Peran Teknologi Terhadap Transformasi Sosial Dari Ojek Konvensional Ke Ojek Online," *Tuturan J. Ilmu Komunikasi, Sos. Dan Hum.*, Vol. 2, No. 3, Pp. 160-171, 2024, Doi: 10.47861/Tuturan.V2i3.1080.
- [3] K. Shafitri And V. Sofica, "Analisis Usability Aplikasi Transportasi Online Dengan Metode Use Questionnaire Dan Usability Testing," *Informatics Educ. Prof. J. Informatics*, Vol. 8, No. 2, P. 134, 2023, Doi: 10.51211/Itbi.V8i2.2534.
- [4] F. H. Jaya, D. N. Afni, And A. Murtadahari, "Preferensi Penggunaan Transportasi Online Berbasis Mobilitas Dan Kinerja Di Bandar Lampung (Studi Kasus : Perbandingan Aplikasi Online Gojek , Maxim Dan In Drive) Mobility And Performance-Based Online Transportation Use Preferences In Bandar Lampung (C," Vol. 10, 2025.
- [5] N. Pitalia And Respitawulan, "Pemilihan Aplikasi Ojek Online Dengan Preference Selection Index Dan Simple Additive Weighting," *J. Ris. Mat.*, Pp. 121-130, 2023, Doi: 10.29313/Jrm.V3i2.2831.
- [6] A. R. Indriani, N. R. Oktadini, F. I. Komputer, And U. Sriwijaya, "Analisis Faktor Yang Mempengaruhi Niat Perilaku Pengguna," Vol. 8, No. 2, Pp. 272-284, 2024.
- [7] J. Joosten, F. Halim, D. Evawani Sihombing, And Y. Lamtumiari Hutahaean, "Penerapan Metode Mecue 2.0 Dalam Mengukur Pengalaman Pengguna Pada Aplikasi "Indriver"," *Jitsi J. Ilm. Teknol. Sist. Inf.*, Vol. 4, No. 2, Pp. 58-63, 2023, Doi: 10.30630/Jitsi.4.2.133.
- [8] S. Lai, X. Hu, H. Xu, Z. Ren, And Z. Liu, "Multimodal Sentiment Analysis: A Survey," *Displays*, Vol. 80, 2023, Doi: 10.1016/J.Displa.2023.102563.
- [9] A. N. Hasanah And B. N. Sari, "Analisis Sentimen Ulasan Pengguna Aplikasi Jasa Ojek Online Maxim Pada Google Play Dengan Metode Naïve Bayes Classifier," *J. Inform. Dan Tek. Elektro Terap.*, Vol. 12, No. 1, Pp. 90-96, 2024, Doi: 10.23960/Jitet.V12i1.3628.
- [10] B. Liu, "Book Review," *Sentim. Anal. Min. Opin. Sentim. Emot.*, Vol. 42, No. 3, Pp. 596-598, 2015, Doi: 10.1162/Coli.
- [11] J. J. A. Limbong, I. Sembiring, K. D. Hartomo, U. Kristen, S. Wacana, And P. Korespondensi,

- “Analisis Klasifikasi Sentimen Ulasan Pada E-Commerce Shopee Berbasis Word Cloud Dengan Metode Naive Bayes Dan K-Nearest Analysis Of Review Sentiment Classification On E-Commerce Shopee Word Cloud Based With Naïve Bayes And K-Nearest Neighbor Methods,” Vol. 9, No. 2, Pp. 347–356, 2022, Doi: 10.25126/Jtiik.202294960.
- [12] “Analisis Sentimen Ulasan Pengguna Aplikasi Pada Google Play Store Menggunakan Algoritma Support Vector Machine,” Vol. 11, No. 2, 2023.
- [13] D. Safryda Putri And T. Ridwan, “Analisis Sentimen Ulasan Aplikasi Pospay Dengan Algoritma Support Vector Machine,” *J. Ilm. Inform.*, Vol. 11, No. 01, Pp. 32–40, 2023, Doi: 10.33884/Jif.V11i01.6611.
- [14] B. Liu, “Sentiment Analysis And Opinion Mining,” 2012.
- [15] S. Kaur, Ramandeep Kautish, “Sentiment Analysis- From Theory To Practice,” 2021.
- [16] M. S. Arrafiq And R. Kurniawan, “Analisis Sentimen Pengguna Terhadap Layanan Aplikasi Seabank Indonesia Di Instagram Menggunakan Metode Support Vector Machine,” *J. Inf. Syst. ...*, Vol. 5, No. 4, Pp. 1280–1291, 2024, Doi: 10.47065/Josh.V5i4.5620.
- [17] M. Information, “Sentiment Analysis”.
- [18] Y. Mao, Q. Liu, And Y. Zhang, “Sentiment Analysis Methods, Applications, And Challenges: A Systematic Literature Review,” *J. King Saud Univ. - Comput. Inf. Sci.*, Vol. 36, No. 4, P. 102048, 2024, Doi: 10.1016/J.jksuci.2024.102048.
- [19] M. M. M. Lamba, “Sentiment Analysis,” Pp. 191–211, 2022.
- [20] T. Tukino And F. Fifi, “Penerapan Support Vector Machine Untuk Analisis Sentimen Pada Layanan Ojek Online,” *J. Desain Dan Anal. Teknol.*, Vol. 3, No. 2, Pp. 104–113, 2024, Doi: 10.58520/Jddat.V3i2.59.
- [21] V. B. Adiguna *Et Al.*, “Analisis Sentimen Ulasan Aplikasi Shopee Menggunakan Algoritma Random Forest , Naïve Bayes , Dan Support Vector Machine Di Kota Semarang Belah Pihak Penjual Dan Pembeli Melalui Internet .(Khalaf & Diana , 2022) Banyak Pelaku Di Indonensia Rata-Rata Peng,” Vol. 1, Pp. 38–53, 2025.
- [22] K. L. Tan, C. P. Lee, And K. M. Lim, “A Survey Of Sentiment Analysis: Approaches, Datasets, And Future Research,” *Appl. Sci.*, Vol. 13, No. 7, 2023, Doi: 10.3390/App13074550.
- [23] W. Zhang, X. Li, Y. Deng, L. Bing, And W. Lam, “A Survey On Aspect-Based Sentiment Analysis: Tasks, Methods, And Challenges,” *Ieee Trans. Knowl. Data Eng.*, Vol. 35, No. 11, Pp. 11019–11038, 2023, Doi: 10.1109/Tkde.2022.3230975.
- [24] M. Irfan And E. Erizal, “Perbandingan Algoritma Naïve Bayes Dengan K-Nearest Neighbor Untuk Analisis Sentimen Aplikasi Indrive Di Playstore,” *J. Media Inform. Budidarma*, Vol. 8, No. 3, P. 1535, 2024, Doi: 10.30865/Mib.V8i3.7780.
- [25] G. Darmawan, S. Alam, And M. I. Sulisty, “Analisis Sentimen Berdasarkan Ulasan Pengguna Aplikasi Mypertamina Pada Google Playstore Menggunakan Metode Naïve Bayes,” *Storage – J. Ilm. Tek. Dan Ilmu Komput.*, Vol. 2, No. 3, Pp. 100–108, 2023.
- [26] T. Ahmed Khan, R. Sadiq, Z. Shahid, M. M. Alam, And M. Mohd Su’ud, “Sentiment Analysis Using Support Vector Machine And Random Forest,” *J. Informatics Web Eng.*, Vol. 3, No. 1, Pp. 67–75, 2024, Doi: 10.33093/Jiwe.2024.3.1.5.
- [27] M. Rahardi, A. Aminuddin, F. F. Abdulloh, And R. A. Nugroho, “Sentiment Analysis Of Covid-19 Vaccination Using Support Vector Machine In Indonesia,” *Int. J. Adv. Comput. Sci. Appl.*, Vol. 13, No. 6, Pp. 534–539, 2022, Doi: 10.14569/Ijacs.2022.0130665.
- [28] A. H. Salman And W. A. M. Al-Jawher, “Performance Comparison Of Support Vector Machines, Adaboost, And Random Forest For Sentiment Text Analysis And Classification,”

- J. Port Sci. Res.*, Vol. 7, No. 3, Pp. 300–311, 2024, Doi: 10.36371/Port.2024.3.8.
- [29] N. Kewsuwun And S. Kajornkasirat, “A Sentiment Analysis Model Of Agritech Startup On Facebook Comments Using Naive Bayes Classifier,” *Int. J. Electr. Comput. Eng.*, Vol. 12, No. 3, Pp. 2829–2838, 2022, Doi: 10.11591/Ijece.V12i3.Pp2829-2838.
- [30] P. Kurniawati, R. Yanu, And D. Witarsyah, “Sentiment Analysis Of Maxim Online Transportation App Reviews Using Support Vector Machine (Svm) Algorithm,” Vol. 5, No. 2, Pp. 466–475, 2023, Doi: 10.47065/Bits.V5i2.4265.
- [31] P. Subarkah, B. A. Kusuma, And P. Arsi, “Sentiment Analysis On Renewable Energy Electric Using Support Vector Machine (Svm) Based Optimization,” Vol. 10, No. 2, Pp. 252–260, 2024, Doi: 10.33480/Jitk.V10i2.5575.Kebijakan.
- [32] J. R. Jim, M. A. R. Talukder, P. Malakar, M. M. Kabir, K. Nur, And M. F. Mridha, “Recent Advancements And Challenges Of Nlp-Based Sentiment Analysis: A State-Of-The-Art Review,” *Nat. Lang. Process. J.*, Vol. 6, No. January, P. 100059, 2024, Doi: 10.1016/J.Nlp.2024.100059.
- [33] J. E. Br Sinulingga And H. C. K. Sitorus, “Analisis Sentimen Opini Masyarakat Terhadap Film Horor Indonesia Menggunakan Metode Svm Dan Tf-Idf,” *J. Manaj. Inform.*, Vol. 14, No. 1, Pp. 42–53, 2024, Doi: 10.34010/Jamika.V14i1.11946.
- [34] D. A. Kristiyanti, D. A. Putri, E. Indrayuni, A. Nurhadi, And A. H. Umam, “E-Wallet Sentiment Analysis Using Naïve Bayes And Support Vector Machine Algorithm,” *J. Phys. Conf. Ser.*, Vol. 1641, No. 1, 2020, Doi: 10.1088/1742-6596/1641/1/012079.
- [35] C. A. Nurhaliza Agustina, R. Novita, Mustakim, And N. E. Rozanda, “The Implementation Of Tf-Idf And Word2vec On Booster Vaccine Sentiment Analysis Using Support Vector Machine Algorithm,” *Procedia Comput. Sci.*, Vol. 234, Pp. 156–163, 2024, Doi: 10.1016/J.Procs.2024.02.162.

Afifani Aulida Romadhoni

Muhammadiyah University of Sidoarjo, Indonesia

Email: aulidar35@gmail.com

***Andry Rachmadany (Corresponding Author)**

Muhammadiyah University of Sidoarjo, Indonesia

Email: rachmadany@umsida.ac.id

Bayu Hari Prasajo

Muhammadiyah University of Sidoarjo, Indonesia

Email: bayuhari1@umsida.ac.id
